World-Pak Division, Inteplast Group, Ltd. Material Safety Data Sheet

MANUFACTURER

World-Pak Division, Inteplast Group, Ltd.

101 Inteplast Blvd., Highway 1593, Lolita, Texas 77971 Preparation Date: 01/14/2005 Telephone: (361) 874-3760 Fax: (361) 874-3984 Supersedes Date: 07/11/2000

Emergency: 800-424-9300 (CHEMTREC)

1. PRODUCT IDENTIFICATION

Product Name: PVC Sheet

Product Code: InteDur, InteFoam, InteClear, InteCel, InteCel PW, Tuf Board

Chemical Family: Polymer of Chlorinated Hydrocarbon

Chemical Name: Polyvinyl Chloride

CAS No: 9002-86-2

Synonyms: Rigid PVC Sheet (Type I and II), Expanded Foam PVC Sheet, Integral Skin

Expanded Foam PVC Sheet, Clear PVC Sheet, Wood PVC sheet, Celuka PVC

MSDS No: WP-PVC Sheet

Sheet, Wood/PVC Composite Sheet

Formula: Proprietary **Technical Information:** (361) 874-3760

2. PRODUCT INGREDIENTS

No. Components CAS No. Percent (%) OSHA PEL

1 PVC 9002-86-2 50 - 100% 5 mg/M³ (respirable dust) 2 Proprietary Mixtures 0 - 50% Not established

3. PHYSICAL/CHEMICAL PROPERTIES

Physical Form: Solid Sheet

Color: Finished sheet with colors specified

Odor: Insignificant
Boiling Point: Not applicable
Melting Point: Not established
Freezing Point: Not applicable

Solubility in Water: None

Specific Gravity: 0.4 - 2.0 (water = 1) **Vapor Density:** Not applicable (air = 1) **Evaporation Rate:** None (Butyl Acetate = 1)

Vapor Pressure: Not applicable

% Volatile: None

pH: Not applicable

The physical data presented above are typical values and should not be construed as a specification.

4. FIRE HAZARD DATA AND FIGHTING METHOD

Flash Point: Not applicable **Autoignition:** Not applicable

Flammable Limits

In Air (LEL, %) Not applicable (UEL, %) Not applicable

Extinguishing Media: Dry chemical, foam water, or carbon dioxide

Special Fire Fighting

Procedure: In the event of a fire, wear NIOSH approved, positive pressure, self-contained

breathing apparatus (SCBA) and full protective clothing. Evacuate all personnel from danger area. Use dry chemical, foam, water or carbon dioxide to extinguish

fire.

Unusual Fire and Explosion Hazards:

This product is nonflammable and nonexplosive under normal conditions of use. It will not continue to burn after ignition without an external fire source. When forced to burn, the major gaseous products of the combustion of PVC are carbon

monoxide, carbon dioxide, and hydrogen chloride.

5. HUMAN HEALTH DATA

Emergency Overview: During a fire emergency, avoid inhalation, eye and skin contacts.

Primary Route(s) of

Exposure: Inhalation, Eye, Skin Contact

Potential Health Effects and Symptoms of Over-Exposure

Eye Contact: Dust may cause eye irritation
Skin Contact: May cause skin irritation

Inhalation: May cause discomfort in nose and throat

Ingestion: Unlikely

Medical Conditions Aggravated by Overexposure:

Available toxicological information and the physical/chemical properties of the material suggest that there is no evidence that this product aggravates an existing

medical condition.

Carcinogenicity: NTP: No IARC: No OSHA: No

6. FIRST AID MEASURES

Eye Contact: Immediately flush eyes with water for at least 15 minutes. Do not rub the eyes.

If irritation develops, consult a physician.

Skin Contact: Wash affected skin areas with soap and water. If irritation develops, get medical

attentions immediately

Inhalation: Remove subject to fresh air. If symptoms develop, seek immediate medical

attention.

Ingestion: Unlikely.

Notes to Physician: Treat symptomatically and supportively.

Other Instructions: Never give anything by mouth to an unconscious person.

7. EXPOSURE CONTROLS, PERSONAL PROTECTION RECOMMENDATIONS

Eye Protection: Wear safety glasses during sheet cutting or fabricating process

Skin Protection: Wear gloves and long sleeved clothing when cutting or fabricating sheets.

Respiratory Protection: Use NIOSH/MAHA approved dust respirators as needed.

Engineering Control: Ventilation Requirements – Local Exhaust

Required Work/Hygiene Do not eat, drink, or smoke in work area. Wash hands thoroughly after handling, **Procedure:** especially before eating, drinking, smoking, chewing, or using restroom facility.

Exposure Guidelines:

No. Components OSHA-PEL ACGIH-TLV

1 PVC 5 mg/M³ (as respirable dust) 10 mg/M³ (as nuisance dust)

8. ACCIDENTAL RELEASE CONTROL MEASURES

Response to Spills: Not applicable

9. HANDLING AND STORAGE

Handling: Use with care. Wear gloves if necessary when cutting or fabricating sheet.

Storage: Store in a cool dry, well-ventilated area away from sources of extreme heat or

fire.

Container Use: Not applicable

10. STABILITY AND REACTIVITY

Stability: Stable

Conditions to Avoid: Avoid fire or elevated temperature above 250°C.

Hazardous

Decomposition: If burned, it will generate carbon dioxide, carbon monoxide and hydrogen

chloride.

Hazardous

Polymerization: Will not occur

11. DISPOSAL CONSIDERATIONS

Disposal Method: It must be disposed of in accordance with Federal, State and local environmental

control regulations.

Recycle/Reclaim: Recycling of PVC sheet should be encouraged where possible.

12. TRANSPORT INFORMATION

DOT Shipping Name: Not listed **DOT Label:** Not applicable **DOT Hazard Class:** Not regulated **UN/NA Number:** Not applicable Hazard Label(s): Not applicable **Hazard Placard(s):** Not applicable **Packing Group:** Not applicable **Bulk Packaging:** Not applicable RO: Not applicable

Emergency Response

Guide (ERG) No.: Not applicable

13. TOXICOLOGICAL INFORMATION

The information provided below can be subject to misinterpretation. Therefore, it is essential that the following information be interpreted by individuals trained in its evaluation.

<u>Chemical</u> <u>Toxicity Data</u>

PVC orl-rat TDLo: 210 g/kg/30W-C:ETA

14. ECOLOGICAL INFORMATION

No data is available on the adverse effects of this product on the environment. Neither COD nor BOD data are available.

15. REGULATORY INFORMATION

FEDERAL REGULATORY INFORMATION

OSHA Status: Not listed

EPA Clean Air

Act Status: Not listed

EPA Clean Water

Act Status: Not listed

TSCA Status: PVC is listed on TSCA Inventory (40 CFR710)

CERCLA RQ: Not listed

SARA Title III

PVC

<u>Section 302*</u> <u>Section 313**</u> <u>Section 311/312***</u>

None None None

RCRA Status: The product is not an RCRA hazardous waste either by listing or by characteristic.

However, under RCRA, it is the responsibility of the product user to determine at the time of disposal whether a material containing the product or derived from the product

should be classified as a hazardous waste (40CFR261.20-24).

OTHER REGULATORY INFORMATION

The following chemicals are specifically listed by individual states; other product-specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements, you should contact the appropriate agency in your state.

State	Chemical	<u>Regulation</u>
Texas	PVC	Effects Screening Level (ESL) List: short term 50 ug/M ³ ; long term 5
		ug/M^3
California		Proposition 65: warning – this product contains a chemical, residual
		VCM, known to the state of California to cause cancer

^{*}Reportable quantity of extremely hazardous substance, Sec. 302

^{*}Threshold planning quantity, extremely hazardous substance, Sec. 302

^{**}Toxic chemical. Sec. 313

^{**}Category as required by Sec 313 (40CFR372.65C). Must be used on Toxic Release Inventory form.

^{***}Hazard category for SARA Sec.311/312 reporting H1=acute health hazard, H2=chronic health hazard, P3=fire hazard, P4=sudden release of pressure hazard, P5=reactive hazard

Product Name: PVC Sheet

International

United Kingdom Occupational Exposure Standards: TWAs total inhalable dust 10 mg/M³ TWA; Respirable dust 5mg/M³

Germany MAK Value: fine dusts 5 mg/M³ MAK

16. OTHER INFORMATION

 $\begin{array}{ccc} \underline{\textbf{NFPA}} & \underline{\textbf{HMIS}} \\ Fire-1 & Health-0 \\ Health-0 & Flammability-1 \\ Reactivity-0 & Reactivity-0 \end{array}$

Specific Hazard – None Personal Protection Index - E

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of World-Pak Division, Inteplast Group, Ltd. Neither World-Pak Division, Inteplast Group, Ltd. nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards, which exist. World-Pak Division, Inteplast Group, Ltd. assumes no legal responsibility for loss, damage or expense arising out of, or in any way connected with, the handling, storage, use or disposal of this product.